

GOVERNMENT OF PUDUCHERRY  
PUDUCHERRY URBAN DEVELOPMENT AGENCY  
LOCAL ADMINISTRATION DEPARTMENT

No.7766/LAD/PUDA/SBM (U)/Mobile Toilets/2017-18

Puducherry, dt

Sir,

Sub: Tender for supply of Mobile toilets and Urinals - Response to the queries raised in the pre-bid meeting-Reg.

Ref: Tender No. LAD/PUDA/PD/02/2017, dated 14.07.2017.

With reference to the tender invited for supply of mobile toilets and urinals and pre-bid meeting held on 26.07.2017, the queries raised during the meeting and the response to the queries are hereby uploaded

The interested applicants are requested to take note and use the revised financial bid form attached here to.

  
(L. MOHAMED MANSOOR)  
PROJECT DIRECTOR

Pre Bid queries and response

Sl.No	Query	Response
1	The specification of the mobile public toilets in the NIT does not contain description and quality of materials. In the absence of these information, bidders with different quality will compete and ultimately the genuine bidders will lose in the bidding. Hence the specifications with description and quality of materials to be used shall be furnished.	The NIT shall stand amended. The specification containing the description and quality of the materials to be used for the mobile toilets in vans is attached.
2	The NIT has called for mobile urinals in vans. But technically the public urinals in vans have not been tested. Hence the NIT may be amended as mobile public urinal. This unit can also be transported on vehicles.	The mobile public urinals on vans stands amended as "mobile public urinals". Hence the bidders shall quote for supply of - "10 nos. Mobile Public Urinal units – (comprising of two per unit) - 5 units for male and 5 units for female"

**Form of Financial Bid**

Item	Rate in Rs.(state both in figures and in words)	Amount in Rs.( state both in figures and in words)
Cost of a. 5 nos. Mobile Public Toilet Van (with 10 seats in each side – 5 for male & 5 for female)		
b. 10 nos. Mobile Public Urinal units – (comprising of two per unit) - 5 units for male and 5 units for female		

**Note:**

1. The cost is for supply of the goods as per the specifications enclosed.
2. The Cost is inclusive of Central and State GST in UT of Puducherry and transportation and erection and operation and O & M for the period stated in the NIT.

**MOBILE VAN TOILET DESIGNED & FABRICATED WITH 10 TOILETS AND  
INBUILT WATER TANK, SEPTIC TANK WITH FOLLOWING SPECIFICATION**

- 1). Double axle chassis of size 18feet x 6feet
- 2). Chassis made up of 8"x 3"ms channel
- 3). Cross bar of 3"x 1 ½" MS,channel
- 4). Tow bar size 5"x 2 ½" MS channel
- 5). Two number of 90mm axle MS rod
- 6). Tyre four numbers single disc with necessary bearing and hub,900x16ply type tyre
- 7). SS 304 grade 3"x1 ½" size 1.5mm thickness toilet frame and each room structure (30"x33"x5'10") 1" SS Square pipe horizontal supportive frame work for ACP sheets
- 8). 3mm aluminium composite panel wall both side of the toilet
- 9). Sandwich Fiber door of thickness 16mm and size L-70.5"X W-22" with necessary fittings & Hinges, two SS wash basin should be fixed along with tap back side of toilet van
- 10). 18mm cement fiber sheet toilet floor with Epoxy flooring and necessary water proof & shock proof fixtures
- 11).304 grade SS Indian water closet, push cock, water tapes, P-traps and necessary plumbing works
- 12).1500 Litter water tank with necessary plumping line, Gate values (11/4" GI gate valves)
- 13). 2000 litter septic tank made up of 2mm MS sheet with fiber lining or SS sheet with overflow valves, sludge removal valves (GI gate valve 2" & 3")
- 14). Foldable walkway platform size L- 189" X W-31", hand rails of height 30" and foldable steps both side
- 15). 6mm thickness poly carbonate sheet roofing mounted on roof rail of size 3"x 1 1/2" MS square pipe
- 16). Front and back of the unit 2mm GI sheet welded with 3"x1 ½" MS pipe body structure
- 17). Bottom chassis should be covered by 2mm GI sheet with 40mmX20mm MS pipe construction Structure

*Mobile Urinal is Designed to use 2 people at a time for urinal purpose with the following specification*

**1.Size**

- i).Width : 5.5 feet
- ii).Height : 6.6 feet
- iii).Breath: 2.8 feet
- iv). Entrance:2.5 feet X 6.6 feet
- v).Door:3 feet X 2.5 feet

**2.Materials**

- i). Bottom is constructed with 25x50 mm Stainless Steel Square pipe 304 Grade and Body is constructed with 18 mm Stainless Steel Square pipe 202 Grade
- ii).Floor –Cement sheet laminated with verified tiles.
- iii).Entire unit Fabricated with Aluminium Composite panel
- iv).Roof- 22.86mm cement sheet with appropriate coating.
- v).Flat back urinal along with SS coupling ,waste hose etc.,
- vi).Fresh water provision ,waste water disposal fitting and necessary light fittings,wirings etc.,
- vii).300 Litre water tank in built

**3.Terms and Condition**

- i).Installation and Transportation is free of cost.
- ii).Plumbing line and waste water line over the 1m is additional cost.
- iii).Water supply, Waste water Disposal to sewage line/UGD ,Cement Platform for urinal is additional cost.
- iv).Solar Systems,Borewell,Cleaning and Maintenance,Pole light,Barricade(If any) will be Charged.